










DOLMAR

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
100											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
101											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
102											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
103											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
104											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
105											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
106											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
108											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
108											
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
285											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
295											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-140											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-151A											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-152A											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-160											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-1600											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-161											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-161A											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-162A											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
ES-162A											
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-171											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-171A											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-172A											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-173											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-173A											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-3											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-30											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ES-35											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-32											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-33											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
PS-33											
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-330											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-3300TH											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-34											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-340											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-3400TH											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-341											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-3410TH											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-3410TH TLC											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-344											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-35											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
PS-35											
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-350											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-351											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-400											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-401											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-420											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
PS-421											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS-45											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
109											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
PS-5105H											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72








GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
PS-5105H											
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5100S											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-510											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-460											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS6100											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
PS5105											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
PS-6100H											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-540											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
ES-1800											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
112											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
113											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
113											
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
114											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
115											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
115I											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
111											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
110											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
116											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-51505											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5105C45											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5105CKIT45											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5105CX											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-4600											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-4605											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-4605-45											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
PS-500											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5000											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5000H											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-500C											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-500C45											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5105C											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-5105C4											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS4605H											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-6100S											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-6100TLC											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-6100-45											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-6100-53											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-6100C											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
PS-6100											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-