























ECHO





GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS-2000											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-2800											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-280E											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-280EP											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-285EVL											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-290											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-2900											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-300											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-3000											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS-3000											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-300EVL											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-301											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-302											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-302S											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-303T											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-305											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-3050											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-310											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-315											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-320EVL											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS-320EVL											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-328											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-330											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-330EVL											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-330MX4											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-330T											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-340											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-3400											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-341											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-345											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-3450											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS-3450											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-346											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-3500											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-350TES											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-351											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-3510											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-352											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-355T											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-360											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-360EVL											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-360T											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS-360T											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-361P											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-370											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-370F											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-370T											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-400											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-400F											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS-4400											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
E155											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ECS-2000											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ECS-3000											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
ECS-3000											
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	—	—	—
CS-4510											
40	.325"	1,3	66	K095	3051 008 0513	—	—	—	23 RS 66	23 RM 66	—
45	.325"	1,3	72	K095	3051 008 0517	—	—	—	23 RS 72	23 RM 72	23 RS3 72