




















HOMELITE





GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
20											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
20AV											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
23											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
23AV											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
27											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3300											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3314											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3316											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3318											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–





GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
3318											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3350											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3550											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3800											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
3850											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
4500											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
4550											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
I3350B											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
PS33											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
RANGER											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
TIMBERMAN											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
TIMBERMAN											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10530											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10530A											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10540											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10542											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10544											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10546											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10548											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10549											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10560											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10562											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
UT10562											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10564											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10566											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10568											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10569											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10580											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10582											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10584											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10586											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10588											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10589											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
UT10589											
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10640											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10660											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
UT10680											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
130											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
150											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
250											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
252											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
300											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
30											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
290C											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
290C											
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
290											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
340											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
340C											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
415B											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
3850B											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
4545											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
4550B											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
EZ250											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
EZAUTO											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
HSC4040											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
SUPERXLMINI											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
XL-76											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
VI-125											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
VI-123											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
XL100SERIES											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
HSC 4040											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–