

















HUSQVARNA





GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
120											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
136											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
137											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
140											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
140S											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
141											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
142											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–




GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
142											
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
23											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
235											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
235E											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
240											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
240E											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
243											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
249											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
33											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–




GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
33											
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
36											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
38											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
41											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
439											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
ELECTRIC 16											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
262 XP											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
262											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
261											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72


GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
261											
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
257											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
254											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
357											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
353G E-TECH											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
353G											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
353 TRIOBRAKE											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
353 G TRIOBRAKE											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
353 G E-TECH TRIOBRAKE											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
336											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
262 XPG											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
359											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–





GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
359											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
360											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
362 XP											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
555											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
55 RANCHER											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
55											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
51											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
460											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
57											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
57											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
238											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
234											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
154											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
134											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
124											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
133											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
254XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
254 XPG											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
246 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
246											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
242 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
242											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
357 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
357 XP											
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
357 XPG											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
351											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
353											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
353 G E-TECH											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
339 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
340											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
345											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
346											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
346 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
346 XP E-TECH											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
350											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
42											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
435											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
435E											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
359 E-TECH											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
40											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
560 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
550XPG TRIOBRAKE											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
550 XP MARK II											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
550 XP TRIOBRAKE											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
550XPG											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
550XPG MARK II											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
550											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
550 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
545											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
545 MARK II											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
545 TRIOBRAKE											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
545G MARK II											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
535FBX											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
543 XP											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
543 XPG											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
49											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
50											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
455E RANCHER											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
455E RANCHER II											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
455E-SERIES											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
455E-SERIES RANCHER TRIOBRAKE											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
460 RANCHER											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
445E II											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
445E II TRIOBRAKE											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
45											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
450											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
450E											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
455											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
455 RANCHER											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
444											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
445											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
445 II											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
445E											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
440E											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
440											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
44											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
EL 1200											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
EL 1400											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
EL 1500											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
560 XPG											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
EL 16											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
EL 1600											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–