



JONSERED

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
2014											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
2016											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
2035											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
2036											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
2036 TURBO											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
2040											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
2040 TURBO											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
2137											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
2138											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS 2135											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS 2137											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS 2138											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS 2234											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
CS 2238S											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
455											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
451											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
450											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–

GUIDE BARS

SAW CHAINS

Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	SAW CHAINS					
						Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
450											
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
45											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
435											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
425											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
420											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
410											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2050											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
370											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2153											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS 2153											
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2152W											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2152											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2150											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
52											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
510											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
51											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
50											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2149											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS 2149											
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2145											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2253WH											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2253											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2252											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2250S											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2250											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2245											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2240S											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS 2240S											
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2240											
40	.325"	1,3	66	K095	3051 008 0513	-	-	-	23 RS 66	23 RM 66	-
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,3	72	K095	3051 008 0517	-	-	-	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
452											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2015											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2012											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2051											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2054											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2055											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2045											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2041											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
2063											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
380											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2153CWH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS 2153WH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2156											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2159											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2159C											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2153C											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2152 WH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2152C											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2150S											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
520											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
525											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
535											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
490											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
49SP											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2147W											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS 2147WH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2145S											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2147C											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
590											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2141											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2260WH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 451E											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 451EV											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 451EVS											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 45E											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 52E											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS2147CWH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
EL 1200											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
EL 14											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-

GUIDE BARS

SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
CS 2255											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2255S											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2258											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2260											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2159CWH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2159WH											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-
CS 2163											
40	.325"	1,5	66	K095	3051 008 0613	-	-	-	25 RS 66	25 RM 66	-
45	.325"	1,5	72	K095	3051 008 0617	-	-	-	25 RS 72	25 RM 72	-