


















MAKITA

GUIDE BARS						SAW CHAINS					
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
5012B											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
5014NB											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
5016NB											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS330S											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS330TH											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS34											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS340											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS341											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS3416											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
DCS3416											
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS3500											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS3501											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS390											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS390S											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS400											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS401											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS4300											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS4300I											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	.325"	1,5	66	K09S	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
45	.325"	1,5	72	K09S	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS4301											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
EA3200S											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3201											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3201S35B											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3201S40B											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3500S											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3500SRDB											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3501S											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3501S40B											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3600F											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA3601F											
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
EA3601FRDB											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
EA4300F40B											
30	3/8" P	1,3	45	A041	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45	–	–	–
35	3/8" P	1,3	52	A041	3050 008 0309	63 PM3 52	–	–	–	–	–
40	3/8" P	1,3	56	A041	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56	–	–	–
DCS430											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS52001											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS5121											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS431											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS5201											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS60001											
40	.325"	1,3	66	K095	3051 008 0513	–	–	–	23 RS 66	23 RM 66	–
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,3	72	K095	3051 008 0517	–	–	–	23 RS 72	23 RM 72	23 RS3 72
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
45											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–

GUIDE BARS						SAW CHAINS					
											
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super	Rapid Super	Rapid Micro	Rapid Super 3
DCS520											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS4630											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS500											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS501											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS460											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS4600S											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS4600SH											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–
DCS461											
40	.325"	1,5	66	K095	3051 008 0613	–	–	–	25 RS 66	25 RM 66	–
45	.325"	1,5	72	K095	3051 008 0617	–	–	–	25 RS 72	25 RM 72	–