




















POULAN





GUIDE BARS						SAW CHAINS		
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super
1900 LE								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
1950								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
1950 LE								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
1975								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
1975 LE								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
200								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2000								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2025								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
205								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—






GUIDE BARS						SAW CHAINS		
								
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super
205								
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2050								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2055								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2055 LE								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2075								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2075C								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
210								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2100								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2150								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2155								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2160								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–





GUIDE BARS						SAW CHAINS		
								
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super
2160								
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2175								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
220								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
221								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
222								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
225								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2550								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2550 LE								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2555								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
25A								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
260								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–

GUIDE BARS						SAW CHAINS		
								
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Pico Micro 3	Pico Super 3	Pico Super
260								
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
2600								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
262								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3314								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3316 LE								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3416								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3516								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3516AVX								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3816								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3816 AV								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
3818								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–

GUIDE BARS						SAW CHAINS		
								
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super
3818								
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
400E								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
4018								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
4218								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
4218A								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
4218AV								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
4218AVX								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
967607201								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
E14E								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
E16E								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
ELECTRIC MODELS								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	—	—

GUIDE BARS						SAW CHAINS		
								
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super
ELECTRIC MODELS								
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
ELECTRIC PRO 400E								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
ES350								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
ES400								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
MICRO25								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
P3314								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
P3816								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
P600								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
PATRIOT 1900								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
PPB1634								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
PPB1838								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–

GUIDE BARS						SAW CHAINS		
								
Guide bar length	Pitch	Drive link gauge / groove width	Drive link count	Guide bar mount	Guide bar part number	Pico Micro 3	Pico Super 3	Pico Super
PPB1838								
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
PPR4218A								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
PR4218								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
S23								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
S25								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
S25AV								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
S25CVA								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
S25D								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
S25DA								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
S35								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
WILD THING								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–

GUIDE BARS						SAW CHAINS		
								
Guide bar length	Pitch	Drive link gauge/ groove width	Drive link count	Guide bar mount	Guide bar part number	Picco Micro 3	Picco Super 3	Picco Super
WILD THING								
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56
WOODSHARK								
30	3/8" P	1,3	45	A04I	3050 008 0305	63 PM3 45	63 PS3 45	63 PS 45
35	3/8" P	1,3	52	A04I	3050 008 0309	63 PM3 52	–	–
40	3/8" P	1,3	56	A04I	3050 008 0313	63 PM3 56	63 PS3 56	63 PS 56